

# Mynt Plywood

## Environmental Product Passport



The information in this product passport is only valid for the following variant:


Mynt Plywood – Art. no. 43500200

For additional information about Mynt Plywood visit our website

More details about Vitra's environmental mission are available at  
[vitra.com/about-vitra](https://vitra.com/about-vitra).

# Carbon footprint

The carbon footprint stands for the amount of greenhouse gas emissions (also referred to as carbon emissions) generated throughout a product's entire life cycle. The carbon footprint is most commonly expressed in CO<sub>2</sub> equivalents (CO<sub>2</sub>e) as a standard measure for the warming effect of all greenhouse gases.




● Raw materials, incl. extraction, processing and manufacturing	38.3	84%
● Transport and installation	1.5	3%
● End-of-life and disposal	5.9	13%
<b>Total / kg CO<sub>2</sub>e</b>	<b>45.7</b>	<b>100%</b>

This calculation includes emissions from direct suppliers (Tier 1).  
Total may vary slightly from 100% due to rounding.

Recycled materials are classified as carbon-neutral in the EPD.

# Recycling

Following the principle of the circular economy, Vitra uses the largest amount of recycled and recyclable materials possible. This proportion will increase as a result of ongoing product development.




Post-consumer recycled content	Post-industrial recycled content	Total recycled content	Recyclability
65%	0%	65%	78%

Further information including a glossary of terms is available at [www.vitra.com/sustainability](http://www.vitra.com/sustainability).

# Material Composition

Vitra uses a wide range of materials that must all withstand stringent internal and external testing procedures. If a new material is found that is better for the environment and meets Vitra's quality criteria, suitable products are executed in that material.

Aluminium	61.3%
Wood products	22.0%
Steel	13.7%
Zinc	1.4%
Polyamide	0.9%
Other thermoplastics	0.5%
Polyurethane	0.2%
<b>Total</b>	<b>100%</b>



Materials used in Mynt Plywood

Total may vary slightly from 100% due to rounding.

## Packaging and logistics

Vitra uses detailed information to elaborate targeted optimisation of transport routes. Preference is given to rail transport, and Vitra aims for the most efficient capacity management possible when using lorries.

Packaging serves to protect the product and minimise the transport volume. Packaging is reduced wherever possible and materials are optimised in terms of their impact on the environment.

Packaging and materials	Purpose	Weight
Cardboard box, FSC-certified made of min. 50% recycled paper	Product protection and stackability	4000.00g
1 plastic bag made of 50% recycled polyethylene	Protection from dust, humidity and scratches	150.00g
Polyethylene edge protection	Edge protection	30.00g
Protective netting made of polypropylene	Surface protection	0.08g

# Supply chain


Vitra purchases its raw materials and components almost exclusively from suppliers in Europe, which simplifies compliance with uniform statutory standards and shortens transport routes. Vitra maintains long-term relationships with many of its suppliers, some spanning several decades, which is a key advantage for the further development of products, technologies and materials.

100%

European suppliers

100%

assembled in Europe



This map and percentage calculation represents Vitra's direct suppliers (Tier 1). Total may vary slightly from 100% due to rounding. Percentages by weight.

Provenance of Components			
1 Italy		90.04%	
Mechanism		46.34%	
Seat & Back		23.73%	
Base		19.71%	
Glides		0.26%	
2 Romania		9.76%	
Gas Spring		9.76%	
3 Germany		0.20%	
Screws		0.20%	
Assembly			
vitra.			
Weil am Rhein, Germany		100.00%	

# Certificates

To offer transparency with regard to a product's most important environmental factors, Vitra provides certificates from external testing institutes. For this purpose, Vitra focuses on a selection of certificates that explicitly cover key elements of the respective product.

## Greenguard Gold

The GREENGUARD GOLD label for indoor air quality recognises products that contribute to the creation of healthier indoor environments.

[Link to certificate](#)



## GS

With the GS seal for tested safety, a state-authorised inspection institute certifies the suitability and safety of the construction and monitors production at regular intervals.

[Link to certificate](#)



## EPD

An EPD – environmental product declaration – provides transparency about the environmental impacts of a product throughout its life cycle, often referred to as life cycle assessment (LCA).

[Link to certificate](#)



## BIFMA

Mynt Plywood fulfils the ANSI/BIFMA standard X5.1-2011, thus meeting the stringent safety requirements for the US market.

[Link to certificate](#)


# BIFMA

## Spare parts

Castors and glides can be ordered directly from the [vitra.com](https://www.vitra.com) website. [Link to online shop](#)

For other spare parts, please contact Vitra or your local Vitra partner.


[Link to service contact form](#)



## Care instructions

Here you will find care instructions for cover fabrics, leather, plastics and metals.

[Link to website](#)




## Warranty & maintenance

The general two-year warranty can be extended to ten years for Mynt Plywood.\*

For matters relating to maintenance and repair or general enquiries, contact our Service Team using the following form.

[Link zum Service-Kontaktformular](#)



## Find Vitra

Here you can find the nearest Vitra location or a Vitra partner for local assistance.

[Find Vitra](#)



\*For end customers by registering via <https://www.vitra.com/warranty>.  
For corporate customers on request as part of the Customer Contract Policy.

## Further Information and Contact Details

The information in this product passport is only valid for the following variant:

Mynt Plywood – Art. no. 43500200

Back and seat plywood natural oak, with protective varnish  
Frame and mechanism blasted aluminium  
4-star base on glides  
Castors hard, braked for carpet

Source for Carbon Footprint:  
Environmental Product Declaration. The EPD conforms to ISO 14025, 14040, 14044 und EN 15084+A2  
and is externally verified.  
Life Cycle Impact Assessment Results for one chair (functional unit), that is used for 15 years.  
The system boundary is cradle-to-grave.

[More about Mynt Plywood on our website](#)

For questions relating to the environmental passport or other enquiries on the topic of sustainability,  
please contact us at [sustainability@vitra.com](mailto:sustainability@vitra.com).

**vitra.®** All commercial, industrial and intellectual property rights, including trademarks, patents and copyrights, remain  
the property of Vitra and are explicitly reserved.

No part of this brochure may be reproduced without prior written permission from Vitra.